IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "((differen* <near/2> phas* <near/2> detect* <near/7> switch* <near/7> int..."   ☑ e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((differen* <near/2> phas* <near/2> detect* <near/7> switch* <near/7> interrupt*<in   »

☐ Check to search only within this results set

» Key

Display Format: ● Citation   ○ Citation & Abstract

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Help   Contact Us   Privac

© Copyright 2005 IE

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Thu, 15 Sep 2005, 5:11:14 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ((differen* <near/2> phas* <near/2> detect* <near/7> switch* <near/7> interrupt*<in>metadata)<in>metadata)

#2 ((differen* <near/2> phas* <near/2> detect* <near/7> switch* <near/7> interrupt*<in>metadata)<in>metadata)

Help   Contact Us   Privac

© Copyright 2005 IE

	Hits	Search Text	DBs
1	1507	(pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or oscciator or oscillator or ossccillator or osccillator or ossciilator or osscciator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or oscciator or oscillator or ossccillator or osccillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch or select) and (@ad<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
2	197	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or oscccilator or osscillator or osscilator or oscilater or osscilater or osccilater or oscillater or ossccillater or oscccillater or osscillater or osscilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or oscccilator or osccilator or osscilator or osccilater or oscilater or osccilater or oscillater or ossccillater or oscccillater or osscillater or osscilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch or select) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
3	106	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or osscillator or osscillator or ossccilator or oscilater or osscilater or osscilater or oscillater or ossccillater or osscillater or osscillater or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or osscillator or osscillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osscillater or osscillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch or select) and (opamp or op-amp or op/amp or amplifier or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT
4	6	("4316059" | "4502018" | "4651103" | "4672299" | "5475719" | "5577086").PN.	USPAT

	Hits	Search Text	DBs
5	32	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or oscccillator or osscillator or osscilater or oscilater or osscilater or oscilater or osscillater or oscillater or osscillater or osscilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or osscilater or oscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
6	156	(pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and ((switch or choose) same (opamp or op-amp or op/amp or (operational adj amplifier))) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
7	156	(pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or oscillator or osscillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osscillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and ((switch or choose) same (opamp or op-amp or op/amp or (operational adj amplifier))) and (@ad<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	3	("4167711" | "4885552" | "5021749").PN.	USPAT
9	14	"5319320".URPN.	USPAT
10	13	"5319320".URPN. and (@ad<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	33	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or osscilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osscillater or osscilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or oscillator or osscillator or osscilator or oscilater or osscilater or osccilater or oscillater or osscillater or osscilater or oscillater or osscillater or osscilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT
12	2	jp-58190135-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	2	ep-674392-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	2	ep-181439-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	1	jp-56051140-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	9	wo-9509485-$.did. or jp-58190135-$.did. or ep-0674392-$.did. or ep-674392-$.did. or ep-181439-$.did. or jp-56051140-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	2	wo-9509485-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	46	(card$1) same (pll or (phase$1 adj1 lock$3 adj1 loop)) same (sync or snchroniz$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	33	(card$1) same (pll or (phase$1 adj1 lock$3 adj1 loop)) same (sync or snchroniz$6) and ((@ad or @rlad or @prad)<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	33	(card$1) same (pll or (phase$1 adj1 lock$3 adj1 loop)) same (sync or snchroniz$6) and ((@ad or @rlad or @prad)<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
21	23	(card$1) same (pll or (phase$1 adj1 lock$3 adj1 loop)) same (sync or synchroniz$6) same (select$5 or choos$5 or choic$5) and ((@ad or @rlad or @prad)<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	20	(card$1) same (pll or (phase$1 adj1 lock$3 adj1 loop)) same (sync or synchroniz$6) same (select$5 or choos$5 or choic$5) and ((@ad)<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	0	(traffic adj1 card$1) same (pll or (phase$1 adj1 lock$3 adj1 loop)) same (sync or synchroniz$6) same (select$5 or choos$5 or choic$5) and ((@ad)<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	(traffic adj1 card$1) and (pll or (phase$1 adj1 lock$3 adj1 loop)) and (sync or synchroniz$6) and (select$5 or choos$5 or choic$5) and ((@ad)<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	26	(traffic adj1 card$1) and ((@ad)<"19991029")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	7	(("5334952") or ("6606364") or ("5950115")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
27	35	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354, 375/371, 360/60, 360/55).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or oscciillator or osscilator or osscciilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or osscciilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or oscillater or osscciilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
28	35	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354, 375/371, 360/60, 360/55).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccilator or oscillator or osscilator or osscilator or oscilater or osscilater or osccilater or oscillater or ossccilater or osccillater or osscillater or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccilator or osccillator or osscillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccilater or osccillater or osscillater or ossccilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT
29	14	(("5978425") or ("6052034") or ("4803705") or ("5319680") or ("5572167") or ("5648964") or ("4988955")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
30	14	S29 and @ad<"19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	2	"5950115".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	6	S29 and amplif$7 and @ad<"19991029"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2	"5334052".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	"5334952".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	3	"6,606,364".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
36	41	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354, 375/371, 360/60, 360/55, 375/375, 327/141, 327/146, 327/154, 327/155, 327/156).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or osscilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or osscilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or osscilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or osscilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
37	42	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354, 375/371, 360/60, 360/55, 375/375, 327/141, 327/146, 327/154, 327/155, 327/156).ccls. and (pll or (phase adj (lock or locked) adj loop)) and (filter or adder or accumulator) and (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or ossccilater) and clock and (feedback or feed-back or (feed adj back) or feed/back) and (vco or (voltage adj controlled adj (oscilator or osscilator or osccilator or oscillator or ossccillator or osccillator or osscillator or ossccilator or oscilater or osscilater or osccilater or oscillater or ossccillater or osccillater or osscillater or osscilater))) and filter and phase and (sync or synchronize or synchronous or synchronization or synchronicity or synchronisity) and (switch) and (opamp or op-amp or op/amp or (operational adj amplifier)) and (@ad<"19991029")	US-PGPUB; USPAT

	Hits	Search Text	DBs
38	73	(375/316, 375/327, 375/373, 375/374, 375/375, 375/376, 375/354, 375/371, 360/60, 360/55, 375/375, 327/141, 327/146, 327/154, 327/155, 327/156).ccls. and (pll$3 or (phas$7 adj lock$7 adj loop$7)) and (filter$7 or add$7 or accumulat$7) and (os$1c$1il$1at$7) and clock$3 and (feed$1back$7) and (vco or (voltage adj control$7 adj os$1c$1il$1at$7)) and (filter$7 or slic$7) and phas$7 and (synchron$7) and (switch$7) and (op$1amp$7 or (operat$7 adj amplif$7)) and (@ad<"19991029")	US-PGPUB; USPAT
39	31	S38 not S37	US-PGPUB; USPAT

PALM INTRANET

Inventor Information for 09/432022

Inventor Name	City	State/Country
DONOHUE, JOHN E.	RIDGEFIELD	CONNECTICUT

Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity Data	Foreign Data

Search Another: Application# [＿＿＿] [Search]   **or Patent#** [＿＿＿] [Search]

PCT / [＿＿＿] **/** [＿＿＿] [Search]   **or PG PUBS #** [＿＿＿＿] [Search]

Attorney Docket # [＿＿＿＿＿＿] [Search]

Bar Code # [＿＿＿＿＿] [Search]

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = DONOHUE
First Name = JOHN E.

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09090632	6064273	150	06/04/1998	PHASE-LOCKED LOOP HAVING FILTER WITH WIDE AND NARROW BANDWIDTH MODES	DONOHUE, JOHN E.
09394149	6177783	150	09/13/1999	CURRENT BALANCING FOR VOLTAGE REGULATOR HAVING INPUTS FROM MULTIPLE POWER SUPPLIES	DONOHUE, JOHN E.
09432022	Not Issued	71	10/29/1999	SYSTEMS AND METHODS FOR HOLDOVER CIRCUITS IN PHASE LOCKED LOOPS	DONOHUE, JOHN E.
09432558	Not Issued	41	11/03/1999	DIGITAL NODE FOR HYBRID FIBER/COAX NETWORK	DONOHUE, JOHN E.
09433332	Not Issued	95	11/03/1999	DIGITAL RETURN PATH FOR HYBRID FIBER/COAX NETWORK	DONOHUE, JOHN E.

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
DONOHUE	JOHN E.	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page